

Start



25 yr old female  
Class I incisor relationship  
on a class I skeletal base  
Moderate crowding of  
upper and lower arches.



Courtesy of  
Dr. Asif Chatoo

12 Weeks



UL4 extracted and replaced with pontic



Courtesy of  
Dr. Asif Chatoo

24 Weeks



Courtesy of  
Dr. Asif Chatoo

30 Weeks



Courtesy of  
Dr. Asif Chatoo

Start



7.5 Months



Courtesy of Dr. Asif Chatoo

# Start



Adult male

Class II division 1 incisor relationship on a Class II skeletal base  
Crowding of upper and lower labial segments & deep overbite

12 weeks



Upper lingual & lower labial braces

## Compare 12 weeks



significant improvement in alignment with reduction of overjet & overbite



**Start**



Adult female  
Relapse of previous orthodontic treatment  
Class III skeletal discrepancy  
Asymmetry in smile between left & right side



Cross bite of upper left lateral incisor

Mild crowding of lower arch

Patient did not want extractions

Courtesy of  
Dr. Asif Chatoo



8 Weeks



Upper lingual & lower labial appliances

Accept centerline discrepancy of lower arch & manibular asymmetry



Courtesy of  
Dr. Asif Chatoo



16 Weeks



Courtesy of  
Dr. Asif Chatoo



32 Weeks



Courtesy of  
Dr. Asif Chatoo

40 Weeks



Courtesy of  
Dr. Asif Chatoo

46 Weeks



90% compliance with  
AcceleDent throughout  
treatment

Original treatment plan  
estimated at 78 wks



At patient request  
appliances removed 8  
wks early



Courtesy of  
Dr. Asif Chatoo

Start



46 Weeks



Courtesy of Dr. Asif Chatoo